NSN 5935-00-457-1198

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-457-1198

View Online at https://aerobasegroup.com/nsn/5935-00-457-1198
Body Style:
Right angle type
Overall Length:
2.281 inches
Overall Width:
0.188 inches
Body Height:
0.188 inches
Environmental Protection:
Humidity resistant and shock resistant and thermal shock resistant and vibration resistant
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Mating end
Connector Locking Method:
Friction
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end and glass fiber single mating end
Contact Surface Treatment Specification:
Mil-g-45204 type 2, cl 1 military specification 1st treatment response single mating end single contact grouping
Terminal Type:
Pin single mating end single contact grouping
Insert Material Specification:
Mil-m-14 ty sdg-f military specification 1st material response single mating end
Included Contact Quantity:
22 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Procious Material And Location

Precious Material And Locat

Contact surfaces gold

Precious Material And Weight:

0.022 gold grains, troy

NSN 5935-00-457-1198

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-g-45204 spec.