## NSN 5935-00-458-6706

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-458-6706 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape w/jackscrew **Overall Length:** Between 1.665 inches and 1.685 inches **Overall Height:** 1.470 inches **Overall Width:** Between 0.820 inches and 0.840 inches **Environmental Protection:** Thermal shock resistant **Unthreaded Mounting Hole Diameter:** 0.149 inches **Distance Between Mounting Facility Centers:** Between 1.290 inches and 1.310 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 20 single mating end **Polarization Method:** Polarization boss **Connector Locking Method:** Jackscrew **Operating Tempurature Rating:** Between -54.0 degrees celsius and 125.0 degrees celsius Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.138 inches **Insert Material:** Plastic diallyl phthalate glass filled single mating end **Insert Material Specification:** Mil-m-14, ty sdg-f military specification single material response single mating end **Thread Series Designator:** Unc Shelf Life:

N/a

## NSN 5935-00-458-6706

Electrical Receptacle Connector Body - Page 2 of 2



Demilitarization:	
No	

**Unit Of Measure:** 

Fiig: A039b0

Mil-std (military Standard):

Mil-m-14 spec.