## NSN 5935-00-465-0472

Thread Class: 2g and 2a

Thread Pitch Diameters: +0.0875/+0.1000 inches

Electrical Receptacle Connector Body - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-465-0472



**Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape threaded **Overall Length:** 1.218 inches **Overall Diameter:** 2.062 inches **Distance From Mounting Shoulder To Front Face:** 1.062 inches **Mounting Facility Thickness:** 0.140 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Polarization Method:** Key, multiple key groove **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 4 and 18 **Thread Size:** 1.625 inches and 1.125 inches **Insert Material:** Plastic diallyl phthalate single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize **Insert Material Specification:** Mil-m-19833, type gdi-30 military specification single material response single mating end **Bushing Accommodation Hole Shape:** Round

## NSN 5935-00-465-0472

Electrical Receptacle Connector Body - Page 2 of 2



Thread Series Designator:
Acme and unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-m-19833 spec.