# NSN 5935-00-468-4128

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-468-4128

**Body Style:**Straight shape

**Overall Length:** 

Between 2.073 inches and 2.103 inches

**Overall Height:** 

0.648 inches

**Overall Width:** 

Between 0.479 inches and 0.509 inches

**Environmental Protection:** 

Heat resistant and moisture resistant and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.115 inches and 0.125 inches

**Distance Between Mounting Facility Centers:** 

Between 1.847 inches and 1.857 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

25 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and copper single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Terminal Type:** 

Crimp single mating end single contact grouping

**Shell Material:** 

Steel

**Shell Surface Treatment:** 

Cadmium or passivate or gold

**Shell Surface Treatment Specification:** 

Qq-p-416, type 2, class 2 federal specification single treatment response or qq-p-35 federal specification single treatment response and mil-g-45204, ty2, class 1 military specification single treatment response

# NSN 5935-00-468-4128

Electrical Receptacle Connector - Page 2 of 2



#### **Insert Material Specification:**

Mil-m-19833, type gdi-30f military specification single material response single mating end

## **Included Contact Quantity:**

25 single mating end single contact grouping

## **Included Contact Type:**

Round socket single mating end single contact grouping

#### **Precious Material And Location:**

Contact surfaces and shell surface gold

## **Precious Material And Weight:**

0.250 gold grains, troy

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-m-19833 spec.