## NSN 5935-00-473-2626

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-473-2626

Body Style:
Right angle type
Overall Length:
4.050 inches
Overall Height:
0.550 inches
Overall Width:
0.359 inches
Environmental Protection:
Moisture resistant
Unthreaded Mounting Hole Diameter:
0.089 inches
Distance Between Mounting Facility Centers:
3.800 inches
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end 2nd contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end 2nd contact grouping
Polarization Method:
Guide pin/socket
Terminal Location:
Side single mating end 2nd contact grouping
Contact Material:
Copper alloy single mating end 2nd contact grouping
Contact Surface Treatment:
Gold and nickel single mating end 2nd contact grouping
Insert Material:
Plastic diallyl phthalate or plastic polyphenylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, grade c military specification 1st treatment response and qq-n-290 federal specification 2nd treatment response single
mating end 2nd contact grouping
Terminal Type:
Pin single mating end 2nd contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end 2nd contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:

Gold

0.020 gold grains, troy **Precious Material:** 

## NSN 5935-00-473-2626

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.