Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-478-7227

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape, flush mount
Overall Length:
Between 1.146 inches and 1.212 inches
Overall Height:
Between 1.966 inches and 2.015 inches
Overall Width:
Between 3.040 inches and 3.090 inches
Environmental Protection:
Corrosion resistant
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.437 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.783 inches
Distance From Mounting Shoulder To Front Face:
0.060 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
2
Contact Position Arrangement Style:
57 2nd mating end
Contact Removability:
Nonremovable 2nd mating end 2nd contact grouping
Contact Maximum Current Rating In Amps:
5.0 2nd mating end 2nd contact grouping
Polarization Method:
3 polarization posts
Shell Type:
Solid
Thread Length:
0.110 inches and 0.140 inches
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Back 2nd mating end 2nd contact grouping



Co	ontact Material:
Со	opper alloy 2nd mating end 2nd contact grouping
Co	ontact Surface Treatment:
Go	old and silver 2nd mating end 2nd contact grouping
Ins	sert Material:
Pla	astic diallyl phthalate all mating ends
Те	rminal Type:
So	lder well 2nd mating end 2nd contact grouping
Co	ontact Material Specification:
Qc	q-c-576 military specification single material response 2nd mating end 2nd contact grouping
Gι	uide Design And Location:
He	exagon shape male post left-hand and hexagon shape male post center at 6 oclock
Sh	nell Material:
Alι	uminum alloy
Sh	ell Surface Treatment:
Ca	admium and chromate
Sh	ell Surface Treatment Specification:
Qc	q-p-416, type 2, cl 3 federal specification all treatment responses
Sh	ell Material Specification:
Qc	q-a-591 federal specification single material response
Ins	sert Material Specification:
Mi	I-m-14 military specification single material response all mating ends
Pr	ecious Material And Location:
Со	ontact surfaces gold and contact surfaces silver
Pr	ecious Material And Weight:
0.0	087 gold grains, troy
Pr	ecious Material:
Gc	old and silver
Th	read Series Designator:
Un	IC
Sh	elf Life:
N/a	a
Un	nit Of Measure:
De	emilitarization:
No	
Fii	g:
A0	3960
Mi	I-std (military Standard):
sr	Dec.