NSN 5935-00-479-8082

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-479-8082	
Body Style:	
Straight shape, external coupling w/backshell	
Overall Length:	
1.125 inches	
Overall Height:	
1.781 inches	
Overall Width:	
1.781 inches	
Environmental Protection:	
Watertight	
Unthreaded Mounting Hole Diameter:	
0.120 inches	
Center To Center Distance Between Mounting Facilities Parallel To Height:	
1.437 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	
1.437 inches	
Distance From Mounting Shoulder To Front Face:	
0.531 inches	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
61-3 single mating end	
Contact Removability:	
Nonremovable single mating end all contact groupings	
Contact Maximum Current Rating In Amps:	
7.5 single mating end 2nd contact grouping	
Polarization Method:	
Contact to contact polarizing keys	
Shell Type:	
Solid	
Connector Locking Method:	

Connector Locking Method

Spring friction

Connector Cable Strain Relief Method:

Compression nut

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Gold single mating end all contact groupings and silver single mating end all contact groupings

Insert Material:

Rubber single mating end

NSN 5935-00-479-8082

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:	
older well single mating end all contact groupings	
Shell Material:	
Aluminum alloy	
Shell Surface Treatment:	
Cadmium	
Included Contact Quantity:	
9 single mating end 2nd contact grouping	
Included Contact Type:	
ound pin single mating end all contact groupings	
Precious Material And Location:	
ontact surfaces gold and contact surfaces silver	
Precious Material And Weight:	
0.053 gold grains, troy and 0.053 silver grains, troy	
Precious Material:	
Gold and silver	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A039b0	