NSN 5935-00-481-4486

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-481-4486

Thread Class: 2b **Thread Direction:** Right-hand **Body Style:** Straight edge type w/mounting flange **Overall Length:** 3.406 inches **Overall Height:** 0.705 inches **Overall Width:** Between 0.335 inches and 0.345 inches **Distance Between Mounting Facility Centers:** Between 2.930 inches and 2.946 inches **Board Accommodated Length:** 2.497 inches single board and 2.511 inches single board **Threaded Device Type:** Mounting hole **Board Accommodated Width:** Between 0.054 inches and 0.071 inches **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Polarization Method:** Contact to contact polarizing keys **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Tab, solder lug single mating end single contact grouping

Included Contact Quantity:

30 single mating end single contact grouping

NSN 5935-00-481-4486

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type: Bifurcated spring single mating end single contact grouping Precious Material And Location: Contact surface gold Precious Material And Weight: 0.030 gold grains, troy Precious Material: Gold Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: -Demilitarization:

No Fiig: A039b0