Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-482-2390

Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape, flush mount
Overall Length:
Between 1.099 inches and 1.119 inches
Overall Height:
Between 3.927 inches and 3.947 inches
Overall Width:
Between 3.365 inches and 3.385 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 0.995 inches and 1.005 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 2.870 inches and 2.880 inches
Distance From Mounting Shoulder To Front Face:
Between 0.052 inches and 0.072 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
2
Contact Removability:
Nonremovable all mating ends all contact groupings
Polarization Method:
2 polarization posts
Shell Type:
Solid
Connector Locking Method:
Screw
Thready Qty Per Inch (tpi):
28
Thread Size:
0.250 inches
Terminal Location:
Back all mating ends all contact groupings
Contact Material:
Copper alloy all mating ends all contact groupings
Contact Surface Treatment:
Gold all mating ends all contact groupings or silver all mating ends all contact groupings
Insert Material:
Plastic melamine all mating ends



## Terminal Type:

Solder well single mating end single contact grouping

### Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Cadmium

# Included Contact Type:

Round socket all mating ends all contact groupings

## **Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

#### Precious Material:

Gold and silver

## **Thread Series Designator:**

Un

#### Shelf Life:

N/a

### Unit Of Measure:

--

# Demilitarization:

Yes - demil/mli

Fiig:

A039b0