## NSN 5935-00-483-0280

Electrical Receptacle Connector Body - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-483-0280

**Thread Class:** 2a and 2b and 2a **Thread Direction:** Right-hand and right-hand and right-hand **Body Style:** Rectangular shape Center To Center Distance Between Mounting Facilities Parallel To Length: 3.422 inches **Overall Height:** 0.984 inches **Overall Width:** 1.453 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.468 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 50 single mating end **Polarization Method:** Shell and jackscrew Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 32 and 32 and 40 **Thread Size:** 0.138 inches and 0.138 inches and 0.112 inches **Insert Material:** Plastic diallyl phthalate and glass fiber single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize **Insert Material Specification:** 

Mil-m-14, type sdg-f military specification 1st material response single mating end

**Shell Guide Type And Location Designator:** 

E slot

## NSN 5935-00-483-0280

Electrical Receptacle Connector Body - Page 2 of 2



Special Features:
Items furnished as accessories -mounting plate
Thread Series Designator:
Unc and unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.