

View Online at <https://aerobasegroup.com/nsn/5935-00-484-5056>

Body Style:

Straight shape threaded

Overall Length:

0.812 inches

Overall Diameter:

1.312 inches

Environmental Protection:

Corrosion resistant and vibration resistant and moisture resistant and thermal shock resistant

Distance From Mounting Shoulder To Front Face:

0.675 inches

Mounting Facility Thickness:

0.108 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

27-30 single mating end

Polarization Method:

Keyway or multiple keyway

Insert Position In Deg:

30.0 and 120.0 and 210.0 and 285.0

Shell Type:

Solid

Connector Locking Method:

Bayonet pin

Insert Material:

Plastic single mating end

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification 1st treatment response

Shell Material Specification:

Mil-c-26482 military specification single material response

Insert Material Specification:

Mil-m-14, ty mfh military specification single material response single mating end

Special Features:

Solder flange mounted

Test Data Document:

03640-6094301 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.