Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-484-5745

### **Body Style:**

Straight shape, external coupling

**Overall Length:** 

3.395 inches

## **Environmental Protection:**

Oil tight

#### **Distance From Mounting Shoulder To Front Face:**

2.109 inches

### **Mounting Facility Thickness:**

0.406 inches

### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

4 single mating end

### **Contact Maximum Current Rating In Amps:**

200.0 single mating end single contact grouping

#### **Polarization Method:**

Keyway or multiple keyway

### Insert Position In Deg:

0.0

### Shell Type:

Solid

## **Terminal Location:**

Back single mating end single contact grouping

## **Contact Material:**

Copper single mating end single contact grouping

## **Contact Surface Treatment:**

Silver single mating end single contact grouping

## Insert Material:

Plastic single mating end

## **Terminal Type:**

Solder well single mating end single contact grouping

## Shell Material:

Aluminum alloy

## Shell Surface Treatment:

Cadmium

## Shell Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification single treatment response

## Included Contact Quantity:

4 single mating end single contact grouping

# Bushing Accommodation Hole Shape:

Round keyed



Included Contact Type: Round pin single mating end single contact grouping Special Features: Furnished items - link chain Precious Material And Location: Contact surface silver Precious Material: Silver Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0