## NSN 5935-00-488-4692

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-488-4692

**Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** Between 1.109 inches and 1.141 inches **Bushing Diameter:** Between 0.796 inches and 0.828 inches **Overall Height:** Between 0.995 inches and 1.005 inches **Overall Width:** Between 0.995 inches and 1.005 inches **Unthreaded Mounting Hole Diameter:** Between 0.120 inches and 0.130 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 0.713 inches and 0.723 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 0.713 inches and 0.723 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** N single mating end **Contact Removability:** Nonremovable single mating end all contact groupings Shell Type: Solid **Connector Locking Method:** Internally threaded coupling ring **Thread Size:** 0.625 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Copper alloy single mating end all contact groupings

**Insert Material:** 

Plastic single mating end

## NSN 5935-00-488-4692

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Solder well single mating end all contact groupings
Shell Material:
Copper alloy
Shell Surface Treatment:
Silver
Included Contact Quantity:
1 single mating end single contact grouping
Precious Material And Location:
Shell surface silver
Precious Material:
Silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0