## NSN 5935-00-488-7186



Electrical Receptacle Connector Body - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-488-7186 **Thread Class:** 2a and 2b and 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 2.750 inches **Overall Width:** 1.531 inches **Environmental Protection:** Heat resistant and moisture resistant and pressure proof and salt water resistant and vibration resistant and watertight **Distance Between Mounting Facility Centers:** 2.375 inches **Threaded Device Type:** Coupling facility and mounting stud **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 25-104 single mating end **Polarization Method:** Jackscrew and shell Shell Type: Solid **Connector Locking Method:** Jackscrew-socket Thready Qty Per Inch (tpi): 32 and 40 **Thread Size:** 0.138 inches and 0.112 inches **Insert Material:** Plastic diallyl phthalate single mating end **Shell Material:** Aluminum alloy

**Shell Surface Treatment:** 

Anodize

**Insert Material Specification:** 

Mil-m-14, ty sdg-f military specification single material response single mating end

**Shell Guide Type And Location Designator:** 

D pin

**Thread Series Designator:** 

Unc

## NSN 5935-00-488-7186

Electrical Receptacle Connector Body - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-m-14 spec.

Shelf Life: