## NSN 5935-00-498-8325

**Thread Class:** 

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-498-8325

2a
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
2.610 inches
Overall Height:
0.305 inches
Overall Width:
0.780 inches
Distance Between Mounting Facility Centers:
2.226 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Size:
0.112 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Pin single mating end single contact grouping
Insert Material Specification:
Mil-m-19833, type gdi-30 military specification single material response single mating end
Included Contact Quantity:
19 single mating end single contact grouping
Included Contact Type:

Round socket single mating end single contact grouping

## NSN 5935-00-498-8325

Electrical Receptacle Connector - Page 2 of 2



## Precious Material And Location: Contact surfaces gold and contact surfaces silver Precious Material And Weight: 0.019 gold grains, troy and 0.019 silver grains, troy Precious Material: Gold and silver Thread Series Designator: Unc Shelf Life: N/a Unit Of Measure: -Demilitarization: No Fiig:

A039b0

Mil-std (military Standard):

Mil-m-19833 spec.