NSN 5935-00-500-8648



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-500-8648 **Thread Class:** 2b and 2b **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling w/backshell **Overall Length:** 4.500 inches **Overall Height:** 4.250 inches **Overall Width:** 4.250 inches **Environmental Protection:** Watertight Center To Center Distance Between Mounting Facilities Parallel To Height: 3.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 3.500 inches **Threaded Device Type:** Coupling facility and mounting hole **Mating End Quantity:** 1 **Contact Position Arrangement Style:** B4s single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 60.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 200.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 250.0 single mating end single contact grouping

Shell Type:

Solid

Connector Locking Method:

Internally threaded coupling ring

Thready Qty Per Inch (tpi):

14 and 18

Thread Size:

3.500 inches and 0.312 inches

Terminal Location:

Back single mating end single contact grouping

NSN 5935-00-500-8648

Electrical Receptacle Connector - Page 2 of 2



Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Tin single mating end single contact grouping
Insert Material:
Plastic polyester single mating end or plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Zinc
Included Contact Quantity:
4 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Thread Series Designator:
Uns and unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0