## NSN 5935-00-501-0500

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-501-0500

**Body Style:** 

Straight shape, flush mount

**Overall Length:** 

1.226 inches

**Overall Height:** 

Between 3.060 inches and 3.090 inches

**Overall Width:** 

Between 1.985 inches and 2.015 inches

**Environmental Protection:** 

Moisture resistant and salt water resistant and vibration resistant

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 2.778 inches and 2.788 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:** 

Between 1.432 inches and 1.442 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.055 inches and 0.065 inches

**Mating End Quantity:** 

2

**Contact Removability:** 

Removable all mating ends all contact groupings

**Contact Maximum Current Rating In Amps:** 

7.5 1st mating end 1st contact grouping

**Polarization Method:** 

2 polarization posts

Shell Type:

Solid

Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 1st mating end 2nd contact grouping

**Terminal Location:** 

Back all mating ends all contact groupings

**Contact Material:** 

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:** 

Gold all mating ends all contact groupings and copper all mating ends all contact groupings

**Insert Material:** 

Plastic epoxy 2nd mating end

**Terminal Type:** 

Crimp all mating ends all contact groupings

**Contact Material Specification:** 

Qq-b-626, comp 22, 1/2 h federal specification single material response 1st mating end 2nd contact grouping

**Shell Material:** 

Aluminum alloy

## NSN 5935-00-501-0500

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium
Shell Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Shell Material Specification:
Qq-a-591 federal specification single material response
Insert Material Specification:
Mil-m-19833, type gdi-30f military specification single material response 1st mating end
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.154 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-m-19833 spec.