Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-501-5987

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
1.938 inches
Overall Height:
2.500 inches
Overall Width:
2.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.938 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.938 inches
Distance From Mounting Shoulder To Front Face:
0.875 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
36-7 single mating end
Contact Removability:
Removable single mating end 2nd contact grouping
Contact Maximum Current Rating In Amps:
41.0 single mating end 1st contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end 2nd contact grouping
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end 1st contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
110.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thready Qty Per Inch (tpi):
16

# NSN 5935-00-501-5987

Electrical Receptacle Connector - Page 2 of 2



**Thread Size:** 

2.250 inches

**Terminal Location:** 

Back single mating end 2nd contact grouping

### **Terminal Type:**

Solder well single mating end 2nd contact grouping

## Shell Material:

Aluminum alloy

## **Included Contact Quantity:**

7 single mating end 1st contact grouping

### **Thread Series Designator:**

Un

Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

No

### Fiig:

A039b0