NSN 5935-00-502-6440

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-502-6440



Thread Class: 2a **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 2.312 inches **Overall Width:** 1.125 inches **Distance Between Mounting Facility Centers:** 1.938 inches **Threaded Device Type:** Mounting stud **Mating End Quantity: Contact Position Arrangement Style:** 14 single mating end **Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 22.0 single mating end 2nd contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 275.0 single mating end 2nd contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 500.0 single mating end 2nd contact grouping **Polarization Method:** Guide pin/socket **Connector Locking Method:** Friction **Thread Size:** 0.086 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Insert Material:** Plastic single mating end

Terminal Type:

Tab, solder lug single mating end all contact groupings

Unable To Decode:

Unable to decode and unable to decode

NSN 5935-00-502-6440

Electrical Receptacle Connector - Page 2 of 2



4 single mating end 2nd contact grouping

Included Contact Type:

Round pin single mating end all contact groupings

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0