## NSN 5935-00-503-8236

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-503-8236

Body Style:	
Straight shape, external coupling w	/backshell
Overall Length:	
0.692 inches	
Overall Height:	
1.703 inches	
Overall Width:	
1.703 inches	
<b>Environmental Protection:</b>	
Moisture resistant and salt water res	sistant and vibration resistant
Unthreaded Mounting Hole Diame	eter:
Between 0.142 inches and 0.157 inc	ches
Center To Center Distance Between	en Mounting Facilities Parallel To Height:
1.375 inches	
Distance Between Centerlines Of	Mounting Facilities Parallel To Body Width:
1.375 inches	
Distance From Mounting Shoulde	r To Front Face:
Between 0.317 inches and 0.322 inc	ches
Mating End Quantity:	
1	
Contact Position Arrangement St	yle:
24-28 single mating end	
Contact Removability:	
Removable single mating end all co	ntact groupings
Polarization Method:	
Keyway or multiple keyway	
Insert Position In Deg:	
0.0	
Shell Type:	
Solid	
Connector Locking Method:	
Bayonet pin	
Terminal Location:	
Back single mating end all contact g	roupings
Contact Material:	
Copper alloy single mating end all co	ontact groupings
Contact Surface Treatment:	
Gold single mating end all contact g	roupings and silver single mating end all contact groupings
Terminal Type:	
Crimp single mating end all contact	groupings
Shell Material:	
Aluminum alloy	

## NSN 5935-00-503-8236

A039b0

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
12 single mating end 2nd contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Special Features:
Contact designation 24-24
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.024 gold grains, troy and 0.024 silver grains, troy
Precious Material:
Gold and silver
Test Data Document:
81349-mil-c-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-38999 government specification
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig: