NSN 5935-00-503-9198

Thread Class:

2b

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-503-9198

Thread Direction:
Right-hand
Body Style:
Straight shape, internal coupling
Overall Length:
1.375 inches
Overall Diameter:
0.438 inches
Environmental Protection:
Moisture resistant and shock resistant and vibration resistant
Cable Entrance Diameter:
0.184 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
Nonstd single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Internally threaded coupling ring
Connector Cable Strain Relief Method:
Cord grip
Radio Frequency Type Contact Characteristic Impedance In Ohms:
93.0 single mating end single contact grouping
Thread Size:
0.250 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy 360 single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic tetrafluoroethylene single mating end
Contact Surface Treatment Specification:
Mil-g-45204, type 2, class 3 military specification single treatment response single mating end single contact grouping

NSN 5935-00-503-9198

Mil-std (military Standard):

Mil-g-45204 spec.

Electrical Plug Connector - Page 2 of 2



Terminal Type:
Crimp single mating end single contact grouping
Contact Material Specification:
Qq-b-626, alloy 360 federal specification single material response single mating end single contact grouping
Shell Material:
Copper alloy 360
Shell Surface Treatment:
Silver
Shell Surface Treatment Specification:
Qq-s-365 federal specification single treatment response
Shell Material Specification:
Qq-b-626, alloy 360 federal specification single material response
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Triaxial pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold and shell surfaces silver
Precious Material And Weight:
0.005 gold grains, troy and 0.100 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0