Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-503-9218

## **Body Style:**

Straight shape

### **Overall Length:**

1.511 inches

## **Overall Height:**

3.111 inches

## **Overall Width:**

2.001 inches

### **Environmental Protection:**

Humidity resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant

## **Unthreaded Mounting Hole Diameter:**

## 0.112 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

### 2.783 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### \_\_\_\_\_

1.437 inches

# Distance From Mounting Shoulder To Front Face:

0.766 inches

# Mating End Quantity:

2

## **Contact Position Arrangement Style:**

"106, a106" all mating ends

## **Contact Removability:**

Removable all mating ends single contact grouping

## Contact Maximum Ac Voltage Rating In Volts:

400.0 all mating ends single contact grouping

## **Polarization Method:**

3 polarization posts

## Shell Type:

Solid

## **Connector Locking Method:**

Friction

## **Operating Tempurature Rating:**

Between -54.2 degrees celsius and 125.0 degrees celsius

## **Terminal Location:**

Back all mating ends single contact grouping

## **Contact Material:**

Copper alloy all mating ends single contact grouping

## **Contact Surface Treatment:**

Gold all mating ends single contact grouping

## **Insert Material:**

Plastic all mating ends

AeroBa:

### **Contact Surface Treatment Specification:**

Mil-g-45204, type 1, grade c, class 1 military specification single treatment response all mating ends single contact grouping

## **Terminal Type:**

Crimp all mating ends single contact grouping

## **Guide Design And Location:**

Hexagon shape male post left-hand at 12 oclock

## Shell Material:

Aluminum alloy

### Shell Surface Treatment:

Cadmium and chromate

## Shell Surface Treatment Specification:

Qq-p-416, type ii, class 3 federal specification all treatment responses

### **Included Contact Quantity:**

106 all mating ends single contact grouping

#### Included Contact Type:

Round pin all mating ends single contact grouping

### **Special Features:**

Float mount

## **Precious Material And Location:**

Contact surfaces gold

## **Precious Material And Weight:**

0.212 gold grains, troy

## **Precious Material:**

Gold

# Shelf Life:

N/a

### Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-g-45204 spec.