## NSN 5935-00-504-3106

**Distance Between Mounting Facility Centers:** 

**Thread Direction:** 

Overall Length: 1.220 inches Overall Width: 0.380 inches

Right-hand

0.906 inches

Mounting stud

**Threaded Device Type:** 

**Mating End Quantity:** 

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-504-3106

Contact Position Arrangement Style:	
7 single mating end	
Contact Removability:	
Nonremovable single mating end single contact grouping	
Contact Maximum Current Rating In Amps:	
5.0 single mating end single contact grouping	
Polarization Method:	
Guide pin/socket	
Connector Locking Method:	
Screw lock pin	
Thread Size:	
0.112 inches	
Terminal Location:	
Back single mating end single contact grouping	
Contact Material:	
Copper alloy single mating end single contact grouping	
Contact Surface Treatment:	
Gold single mating end single contact grouping	
Insert Material:	
Plastic diallyl phthalate single mating end	
Terminal Type:	
Solder well single mating end single contact grouping	
Included Contact Quantity:	
7 single mating end single contact grouping	
Included Contact Type:	
Round pin single mating end single contact grouping	
Precious Material And Location:	
Contact surfaces gold	
Precious Material And Weight:	
0.007 gold grains, troy	

## NSN 5935-00-504-3106

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0