Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-515-2819

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling
Overall Length:
Between 1.625 inches and 2.125 inches
Overall Diameter:
Between 0.985 inches and 1.015 inches
Distance From Mounting Shoulder To Front Face:
Between 0.750 inches and 0.782 inches
Mounting Facility Thickness:
0.188 inches
Threaded Device Type:
Mounting bushing
Mating End Quantity:
1
Contact Position Arrangement Style:
C single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1000.0 single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Spring friction
Connector Cable Strain Relief Method:
Compression nut
Radio Frequency Type Contact Characteristic Impedance In Ohms:
50.0 single mating end single contact grouping
Thready Qty Per Inch (tpi):
28
Thread Size:
0.750 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Silver single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



Insert Material: Plastic tetrafluoroethylene single mating end **Contact Surface Treatment Specification:** Qq-s-365, type 2, grade a federal specification single treatment response single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Contact Material Specification:** Qq-c-530 federal specification single material response single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Silver **Shell Surface Treatment Specification:** Qq-s-365, type 2, grade a federal specification single treatment response **Shell Material Specification:** Qq-b-626, comp 22, 1/2 h federal specification single material response **Included Contact Quantity:** 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round **Included Contact Type:** Coaxial socket single mating end single contact grouping **Precious Material And Location:** Contact surfaces silver **Precious Material And Weight:** 0.005 silver grains, troy **Precious Material:** Silver **Thread Series Designator:** Un Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A039b0