NSN 5935-00-515-6938

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-515-6938

Body Style: Straight shape w/flange **Mounting Hole Circle Radius:** 1.312 inches Overall Diameter: 3.063 inches **Distance From Mounting Shoulder To Rear Face:** 2.188 inches **Mating End Quantity: Contact Removability:** Nonremovable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 20.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 208.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 120.0 single mating end all contact groupings **Polarization Method:** Contact Shell Type: Solid **Connector Locking Method:** Friction **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings **Insert Material:** Plastic single mating end **Contact Surface Treatment Specification:** Mil-g-45204 military specification single treatment response single mating end all contact groupings **Terminal Type:** Screw single mating end all contact groupings **Shell Material: Plastic Included Contact Quantity:**

Precious Material And Location:

Contact surfaces gold

3 single mating end 3rd contact grouping

NSN 5935-00-515-6938

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.005 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.