## NSN 5935-00-518-1148

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-518-1148

**Body Style:** 

Straight shape

**Overall Length:** 

Between 1.400 inches and 1.460 inches

**Overall Width:** 

Between 0.220 inches and 0.280 inches

**Environmental Protection:** 

Moisture proof and vibration resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.089 inches and 0.094 inches

**Distance Between Mounting Facility Centers:** 

Between 1.185 inches and 1.245 inches

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

51 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

3.0 single mating end single contact grouping

**Polarization Method:** 

Mating end

Shell Type:

Solid

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Insert Material:** 

Plastic diallyl phthalate single mating end

**Contact Surface Treatment Specification:** 

Mil-g-45204, type 1, class 1 military specification single treatment response single mating end single contact grouping

**Contact Material Specification:** 

Qq-c-502 federal specification single material response single mating end single contact grouping

**Shell Material:** 

Steel comp 304

**Shell Surface Treatment:** 

Passivate

**Shell Surface Treatment Specification:** 

Mil-f-14072, finish no. E300 military specification single treatment response

# NSN 5935-00-518-1148

Electrical Receptacle Connector - Page 2 of 2



#### **Shell Material Specification:**

Qq-s-766, class 304 federal specification single material response

### **Insert Material Specification:**

Mil-m-14, type sdg-f military specification single material response single mating end

### **Included Contact Quantity:**

51 single mating end single contact grouping

### **Included Contact Type:**

Round pin single mating end single contact grouping

### **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.051 gold grains, troy

**Precious Material:** 

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.