NSN 5935-00-537-2104

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-537-2104 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.531 inches **Overall Height:** 2.500 inches **Overall Width:** 2.500 inches **Environmental Protection:** Corrosion resistant and humidity resistant and vibration resistant **Unthreaded Mounting Hole Diameter:** 0.173 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.938 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.938 inches **Distance From Mounting Shoulder To Front Face:** 0.875 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 36-54 single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 46.0 single mating end 1st contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0

Shell Type:

Solid

NSN 5935-00-537-2104

Electrical Receptacle Connector - Page 2 of 2



Connector Locking Method: Externally threaded shell Thread Length: 0.625 inches Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings Shell Material:
Thread Length: 0.625 inches Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Thready Qty Per Inch (tpi): 16 Thread Size: 2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Thread Size: 2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Thread Size: 2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
2.250 inches Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Terminal Location: Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Back single mating end all contact groupings Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Contact Material: Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Copper alloy single mating end all contact groupings Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Contact Surface Treatment: Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Silver single mating end all contact groupings Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Insert Material: Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Rubber single mating end Terminal Type: Solder well single mating end all contact groupings
Terminal Type: Solder well single mating end all contact groupings
Solder well single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Insert Material Specification:
Mil-r-3065 military specification single material response single mating end
Included Contact Quantity:
8 single mating end 1st contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Precious Material And Location:
Contact surfaces silver
Precious Material:
Silver
Thread Series Designator:
Un
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):

Mil-r-3065 spec.