

View Online at <https://aerobasegroup.com/nsn/5935-00-539-3121>

**Thread Class:**

2a

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape

**Overall Height:**

Between 0.676 inches and 0.696 inches

**Overall Width:**

Between 1.307 inches and 1.327 inches

**Environmental Protection:**

Moisture resistant and vibration resistant

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

Between 0.400 inches and 0.420 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.115 inches and 1.135 inches

**Distance From Mounting Shoulder To Front Face:**

Between 0.159 inches and 0.179 inches

**Threaded Device Type:**

Coupling facility

**Mating End Quantity:**

1

**Polarization Method:**

Guide pin/socket

**Connector Locking Method:**

Screw

**Thread Size:**

0.086 inches

**Insert Material:**

Plastic diallyl phthalate single mating end

**Special Features:**

2 polarizing guide sockets at position 1

**Test Data Document:**

81349-mil-c-28731 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unc

**Specification Data:**

81349-mil-c-28731 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0