NSN 5935-00-551-1243

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-551-1243 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight edge type w/mounting flange **Overall Length:** 4.435 inches **Overall Height:** 1.170 inches **Overall Width:** 0.370 inches **Environmental Protection:** Moisture resistant and salt water resistant and vibration resistant **Distance Between Mounting Facility Centers: 4.175** inches **Board Accommodated Length:** 3.500 inches single board **Threaded Device Type:** Mounting hole **Board Accommodated Width:** Between 0.054 inches and 0.071 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of independent contacts inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Dc Voltage Rating In Volts:** 600.0 single mating end single contact grouping Thread Length: 0.250 inches **Thread Size:** 0.112 inches **Terminal Location:** Back single mating end single contact grouping

Contact Material: Copper alloy single mating end single contact grouping **Contact Surface Treatment:**

Gold single mating end single contact grouping

NSN 5935-00-551-1243

Electrical Receptacle Connector - Page 2 of 2



Insert		

Plastic diallyl phthalate single mating end

Contact Surface Treatment Specification:

Mil-g-45204 military specification single treatment response single mating end single contact grouping

Terminal Type:

Wire wrap single mating end single contact grouping

Contact Material Specification:

Qq-c-533 federal specification single material response single mating end single contact grouping

Insert Material Specification:

Mil-m-19833 military specification single material response single mating end

Included Contact Quantity:

72 single mating end single contact grouping

Included Contact Type:

Bifurcated accordian leaf spring single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.072 gold grains, troy

Precious Material:

Gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.