

View Online at <https://aerobasegroup.com/nsn/5935-00-557-9862>

**Body Style:**

Straight shape, internal coupling

**Overall Length:**

1.234 inches

**Overall Diameter:**

0.750 inches

**Mating End Quantity:**

2

**Contact Position Arrangement Style:**

C 2nd mating end

**Contact Removability:**

Nonremovable 2nd mating end all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Bayonet latch

**Radio Frequency Contact Characteristic Impedance In Ohms:**

50.0 2nd mating end all contact groupings

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Insert Material:**

Plastic tetrafluoroethylene all mating ends

**Shell Material:**

Copper alloy

**Included Contact Quantity:**

1 2nd mating end all contact groupings

**Included Contact Type:**

Coaxial socket 2nd mating end all contact groupings

**Precious Material And Location:**

Center contacts gold

**Precious Material:**

Gold

**Test Data Document:**

81349-mil-prf-55339 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349-mil-prf-55339/22 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0

**Mil-std (military Standard):**

Mil-prf-55339 spec.