

View Online at <https://aerobasegroup.com/nsn/5935-00-557-9862>

Body Style:

Straight shape, internal coupling

Overall Length:

1.234 inches

Overall Diameter:

0.750 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

C 2nd mating end

Contact Removability:

Nonremovable 2nd mating end all contact groupings

Shell Type:

Solid

Connector Locking Method:

Bayonet latch

Radio Frequency Contact Characteristic Impedance In Ohms:

50.0 2nd mating end all contact groupings

Contact Material:

Copper alloy all mating ends all contact groupings

Insert Material:

Plastic tetrafluoroethylene all mating ends

Shell Material:

Copper alloy

Included Contact Quantity:

1 2nd mating end all contact groupings

Included Contact Type:

Coaxial socket 2nd mating end all contact groupings

Precious Material And Location:

Center contacts gold

Precious Material:

Gold

Test Data Document:

81349-mil-prf-55339 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-prf-55339/22 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0

Mil-std (military Standard):

Mil-prf-55339 spec.