## NSN 5935-00-566-4731

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-566-4731

Thread Class: 2a and 2b

**Thread Direction:** 

Right-hand and left-hand

**Body Style:** 

Straight shape

**Overall Length:** 

Between 2.140 inches and 2.160 inches

**Overall Height:** 

0.585 inches

**Overall Width:** 

Between 0.240 inches and 0.260 inches

**Environmental Protection:** 

Moisture resistant

**Unthreaded Mounting Hole Diameter:** 

Between 0.110 inches and 0.130 inches

**Distance Between Mounting Facility Centers:** 

Between 1.890 inches and 1.910 inches

**Threaded Device Type:** 

Coupling facility

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of contacts non-inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Polarization Method:** 

Jackscrew

**Connector Locking Method:** 

Jackscrew-socket

**End Application:** 

Aircraft, orion p-3; aircraft, viking s-3b

**Thread Size:** 

0.086 inches and 0.086 inches

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Gold single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and nickel single mating end single contact grouping

## NSN 5935-00-566-4731

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Glass fiber single mating end
Criticality Code Justification:
Feat
Terminal Type:
Solder well single mating end single contact grouping
Contact Material Specification:
Qq-c-530 federal specification single material response single mating end single contact grouping
Insert Material Specification:
Mil-m-14f military specification single material response single mating end
Included Contact Quantity:
26 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
Weapon system essential
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.026 gold grains, troy
Precious Material:
Gold
Thread Series Designator:
Unc and unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-m-14f spec.