NSN 5935-00-572-6108

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-572-6108

Thread Class: 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling w/backshell **Unable To Decode:** Unable to decode and unable to decode **Overall Length:** 1.062 inches **Overall Diameter:** 0.750 inches **Environmental Protection:** Vibration resistant **Distance From Mounting Shoulder To Front Face:** 0.750 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thready Qty Per Inch (tpi): 32 and 32 **Thread Size:** 0.750 inches and 0.750 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:**

Plastic phenolic single mating end

NSN 5935-00-572-6108

Electrical Receptacle Connector - Page 2 of 2



Contact Surface Treatment Specification: Mil-g-45204 military specification single treatment response single mating end single contact grouping **Terminal Type:** Tab, solder lug single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Gold **Shell Surface Treatment Specification:** Mil-g-45204 military specification single treatment response **Included Contact Quantity:** 1 single mating end single contact grouping **Bushing Accommodation Hole Shape:** Round **Included Contact Type:** Coaxial pin single mating end single contact grouping **Special Features:** Furnished items - knurled cap and link chain **Precious Material And Location:** Contact and shell surfaces gold **Precious Material And Weight:** 0.105 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Un and un Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig: A039b0

Mil-std (military Standard):

Mil-g-45204 spec.