

View Online at <https://aerobasegroup.com/nsn/5935-00-581-0266>

**Body Material:**

Plastic

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Body Style:**

Top or bottom mount w/molded saddle

**Fabrication Method:**

Molded

**Overall Length:**

2.219 inches

**Tempurature Rating:**

100.0 degrees celsius

**Overall Height:**

0.891 inches

**Overall Width:**

1.000 inches

**Mounting Hole Diameter:**

Between 0.129 inches and 0.139 inches

**Body Mounting Hole Accommodation Diameter:**

2.031 inches

**Distance Between Mounting Facility Centers:**

1.875 inches

**Mounting Hole Style:**

Round, w/two mounting holes

**Specific Equipment Accommodated:**

Electron tube

**Contact Maximum Current Rating In Amps:**

1.0

**Contact Material:**

Beryllium copper

**Contact Surface Treatment:**

Silver

**Accommodated Contact Quantity:**

7

**Polarization Type:**

Contact position

**Projection Length Above Mounting Surface:**

0.293 inches

**Mounting Method:**

Saddle and threaded hole

**Mounting Type For Which Designed:**

Chassis

**Features Provided:**

Center shield

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Contact Position Arrangement Style:**

Miniature

**Ground Terminal Type And Quantity:**

2 tab, solder lug

**Contact Maximum Voltage In Volts And Current Type:**

660.0 ac and 660.0 dc

**Special Features:**

Provided with 6 insulated terminals 3 on each side and 2 ground term for mtg

**Precious Material And Location:**

Contact surfaces silver

**Precious Material And Weight:**

0.007 silver grains, troy

**Precious Material:**

Silver

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

7 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A02300