

View Online at <https://aerobasegroup.com/nsn/5935-00-581-0266>

Body Material:

Plastic

Thread Class:

2b

Thread Direction:

Right-hand

Body Style:

Top or bottom mount w/molded saddle

Fabrication Method:

Molded

Overall Length:

2.219 inches

Tempurature Rating:

100.0 degrees celsius

Overall Height:

0.891 inches

Overall Width:

1.000 inches

Mounting Hole Diameter:

Between 0.129 inches and 0.139 inches

Body Mounting Hole Accommodation Diameter:

2.031 inches

Distance Between Mounting Facility Centers:

1.875 inches

Mounting Hole Style:

Round, w/two mounting holes

Specific Equipment Accommodated:

Electron tube

Contact Maximum Current Rating In Amps:

1.0

Contact Material:

Beryllium copper

Contact Surface Treatment:

Silver

Accommodated Contact Quantity:

7

Polarization Type:

Contact position

Projection Length Above Mounting Surface:

0.293 inches

Mounting Method:

Saddle and threaded hole

Mounting Type For Which Designed:

Chassis

Features Provided:

Center shield

Thready Qty Per Inch (tpi):

40

Thread Size:

0.112 inches

Contact Position Arrangement Style:

Miniature

Ground Terminal Type And Quantity:

2 tab, solder lug

Contact Maximum Voltage In Volts And Current Type:

660.0 ac and 660.0 dc

Special Features:

Provided with 6 insulated terminals 3 on each side and 2 ground term for mtg

Precious Material And Location:

Contact surfaces silver

Precious Material And Weight:

0.007 silver grains, troy

Precious Material:

Silver

Thread Series Designator:

Unc

Terminal Type And Quantity:

7 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300