Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-581-0741

Т	hread Direction:
F	Right-hand
C	Overall Length:
1	.312 inches
С	Center To Center Distance Between Mounting Facilities Parallel To Length:
0	0.972 inches
C	Overall Height:
0	0.750 inches
C	Overall Width:
1	.312 inches
ι	Inthreaded Mounting Hole Diameter:
0	0.144 inches
C	Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0	0.972 inches
Т	hreaded Device Type:
С	Coupling facility
N	Nating End Quantity:
1	
C	Contact Maximum Current Rating In Amps:
1	0.0 single mating end single contact grouping
C	Contact Maximum Ac Voltage Rating In Volts:
2	100.0 single mating end single contact grouping
С	Connector Locking Method:
E	xternally threaded shell
Т	hready Qty Per Inch (tpi):
6	
Т	Thread Size:
0	0.875 inches
h	nsert Material:
P	Plastic single mating end
S	Shell Material:
A	Numinum alloy
h	ncluded Contact Quantity:
6	single mating end single contact grouping
h	ncluded Contact Type:
F	Round pin single mating end single contact grouping
S	Special Features:
F	Polarized; 4 mtg holes
Т	hread Series Designator:
S	Special acme
S	Shelf Life:
Ν	l/a

Electrical Receptacle Connector - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0