Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-581-7079

#### **Body Style:**

Straight shape, flush mount

#### **Overall Length:**

1.061 inches

# **Overall Height:**

2.000 inches

## **Overall Width:**

2.012 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.432 inches and 1.442 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.715 inches and 1.725 inches

#### Distance From Mounting Shoulder To Front Face:

0.936 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

32 single mating end

## **Contact Removability:**

Nonremovable single mating end all contact groupings

#### **Contact Maximum Current Rating In Amps:**

7.5 single mating end 2nd contact grouping

#### Shell Type:

Solid

#### **Terminal Location:**

Back single mating end all contact groupings

#### **Contact Material:**

Copper alloy single mating end all contact groupings

#### Contact Surface Treatment:

Gold single mating end all contact groupings and silver single mating end all contact groupings

#### **Insert Material:**

Plastic polytetrafluoroethylene single mating end and plastic melamine single mating end

#### **Terminal Type:**

Solder well single mating end all contact groupings

#### **Shell Material:**

Aluminum alloy

## Shell Surface Treatment:

Cadmium and chromium

#### **Included Contact Quantity:**

3 single mating end 1st contact grouping

## Included Contact Type:

Round pin single mating end all contact groupings

# NSN 5935-00-581-7079

Electrical Receptacle Connector - Page 2 of 2



**Special Features:** Polarized at position 06 **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.003 gold grains, troy and 0.003 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0