## NSN 5935-00-615-2261

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-615-2261 **Body Material:** Plastic and mica **Body Style:** Bottom mount w/metal saddle **Fabrication Method:** Molded **Overall Length:** Between 1.922 inches and 1.954 inches **Overall Height:** 0.750 inches **Overall Width:** Between 1.339 inches and 1.349 inches **Mounting Hole Diameter:** Between 0.151 inches and 0.161 inches **Body Mounting Hole Accommodation Diameter:** Between 1.104 inches and 1.114 inches **Distance Between Mounting Facility Centers:** Between 1.557 inches and 1.567 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Relay **Contact Maximum Current Rating In Amps:** 5.0 **Contact Material:** Beryllium copper **Contact Surface Treatment:** Silver and tin **Accommodated Contact Quantity:** 20 **Polarization Type:** Contact position Saddle Material: Steel **Saddle Surface Treatment:** Cadmium **Mounting Method:** Saddle and unthreaded hole **Mounting Type For Which Designed:** Chassis **Contact Position Arrangement Style:** 

Concentric

## NSN 5935-00-615-2261

Plug-in Electronic Components Socket - Page 2 of 2



Contact Maximum Voltage In Volts And Current Type:
850.0 ac
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.020 silver grains, troy
Precious Material:
Silver
Terminal Type And Quantity:
20 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
<del>-</del>
Demilitarization:
No
Fiig:

A02300