NSN 5935-00-615-9690



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-615-9690 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.938 inches **Overall Height:** 1.500 inches **Overall Width:** 1.500 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.156 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.156 inches **Distance From Mounting Shoulder To Front Face:** 0.750 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 20-7 single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 22.0 single mating end all contact groupings **Contact Maximum Ac Voltage Rating In Volts:** 900.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 1250.0 single mating end all contact groupings **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 110.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell

Thread Size:

1.250 inches

NSN 5935-00-615-9690

Electrical Receptacle Connector - Page 2 of 2



Terminal Location: Back single mating end all contact groupings **Terminal Type:** Solder well single mating end all contact groupings **Shell Material:** Aluminum alloy **Included Contact Quantity:** 4 single mating end 2nd contact grouping **Included Contact Type:** Round socket single mating end all contact groupings **Thread Series Designator:** Unef Shelf Life: N/a **Unit Of Measure:** Demilitarization: No

Fiig: A039b0