

View Online at https://aerobasegroup.com/nsn/5935-00-617-2201

| Body Material: | |
|---|--|
| Plastic | |
| Thread Class: | |
| 2a | |
| Thread Direction: | |
| Right-hand | |
| Body Style: | |
| Top or bottom mount w/metal saddle | |
| Fabrication Method: | |
| Molded | |
| Overall Length: | |
| 1.940 inches | |
| Overall Height: | |
| 1.250 inches | |
| Overall Width: | |
| 1.250 inches | |
| Mounting Hole Diameter: | |
| 0.175 inches | |
| Body Mounting Hole Accommodation Diameter: | |
| 0.500 inches | |
| Distance Between Mounting Facility Centers: | |
| 1.562 inches | |
| Mounting Hole Style: | |
| Round, w/two mounting holes | |
| Contact Material: | |
| Beryllium copper | |
| Contact Surface Treatment: | |
| Gold | |
| Accommodated Contact Quantity: | |
| 20 | |
| Thread Length: | |
| 0.530 inches | |
| Polarization Type: | |
| Contact position | |
| Projection Length Below Mounting Surface: | |
| 0.530 inches | |
| Mounting Method: | |
| Threaded stud | |
| Mounting Type For Which Designed: | |
| Chassis | |
| Thready Qty Per Inch (tpi): | |
| 00 | |

32



Thread Size: 0.164 inches **Contact Position Arrangement Style:** Concentric **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.020 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Unc **Terminal Type And Quantity:** 20 tab, solder lug Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A02300