Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-626-5148

Body Style:
Straight shape
Overall Length:
0.828 inches
Overall Height:
1.219 inches
Overall Width:
2.750 inches
Unthreaded Mounting Hole Diameter:
0.203 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
2.375 inches
Distance From Mounting Shoulder To Front Face:
0.594 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
41 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
700.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
980.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Insert Material:
Plastic single mating end
Terminal Type:
Colder well single metics and single context meuries

Solder well single mating end single contact grouping

Electrical Receptacle Connector - Page 2 of 2



Shell Material: Aluminum alloy **Shell Surface Treatment:** Anodize Shell Surface Treatment Specification: Mil-a-8625 military specification single treatment response **Included Contact Quantity:** 41 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-a-8625 spec.