## NSN 5935-00-628-7421

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-628-7421

**Body Style:** Straight shape, external coupling **Overall Length:** 1.031 inches **Overall Height:** 0.750 inches **Overall Width:** 0.750 inches **Environmental Protection:** Salt water resistant **Unthreaded Mounting Hole Diameter:** 0.136 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.500 inches **Mating End Quantity: Contact Position Arrangement Style:** Bnc single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Bayonet pin Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **Terminal Location:** Back single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204, type 2, class 2 military specification single treatment response single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Included Contact Quantity:** 1 single mating end single contact grouping

**Included Contact Type:** 

Coaxial socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

## NSN 5935-00-628-7421

Electrical Receptacle Connector - Page 2 of 2



<b>Precious Material And Weight:</b>
0.005 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-g-45204 spec.