NSN 5935-00-642-5387



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-642-5387 **Thread Class:** 2a **Thread Direction:** Right-hand Center To Center Distance Between Mounting Facilities Parallel To Length: 1.640 inches **Overall Height:** 1.660 inches **Body Length:** 2.500 inches **Body Width:** 2.160 inches **Environmental Protection:** Moisture resistant and salt water resistant and weatherproof and fuel proof Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.940 inches **Cable Entrance Diameter:** 0.560 inches **Threaded Device Type:** Mounting stud **Mating End Quantity:** 1 **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Connector Locking Method:** Shell twistlock **Connector Cable Strain Relief Method:** Cable clamp Thread Length: 0.710 inches **Thread Size:** 0.138 inches **Insert Material:** Plastic single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:**

Anodize

Included Contact Quantity:

34 single mating end single contact grouping

NSN 5935-00-642-5387

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Shell has 3 alternate cable entrances
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0