## NSN 5935-00-642-5798

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-642-5798 **Body Material:** Plastic **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Top mount w/metal saddle and shield base **Fabrication Method:** Molded **Overall Length:** 0.750 inches **Overall Height:** 1.844 inches **Overall Width:** 1.125 inches **Mounting Hole Diameter:** 0.112 inches **Body Mounting Hole Accommodation Diameter:** 0.625 inches **Distance Between Mounting Facility Centers:** 0.875 inches **Mounting Hole Style:** Round, w/two mounting holes **Specific Equipment Accommodated:** Electron tube **Contact Material:** Copper alloy **Contact Surface Treatment:** Silver **Accommodated Contact Quantity: Component Shield Mounting Method:** Bead **Polarization Type:** Contact position **Projection Length Below Mounting Surface:** 0.531 inches **Mounting Method:** Threaded hole

**Mounting Type For Which Designed:** 

Chassis

## NSN 5935-00-642-5798

Plug-in Electronic Components Socket - Page 2 of 2



Features Provided:
Shock mounts and center shield
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Contact Position Arrangement Style:
Miniature
Special Features:
Incl magnet rated at 600 gauss full strength calibrated 400 porm 25 gauss
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.007 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Unc
Terminal Type And Quantity:
7 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300