## NSN 5935-00-646-5890

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-646-5890

Body Style:
Straight shape
Overall Length:
1.719 inches
Overall Height:
0.968 inches
Overall Width:
1.447 inches
Distance Between Mounting Facility Centers:
1.375 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
8 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
800.0 single mating end single contact grouping
Polarization Method:
Shell
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Contact Surface Treatment Specification:
Mil-g-45204 military specification single treatment response single mating end single contact grouping
Terminal Type:
Tab, solder lug single mating end single contact grouping
Shell Material:
Aluminum alloy
Insert Material Specification:
Mil-m-14, ty sdg military specification single material response single mating end
Shell Guide Type And Location Designator:

A slot and 1 slot

## NSN 5935-00-646-5890

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity:
8 single mating end single contact grouping
Included Contact Type:
Leaf spring single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.008 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.