NSN 5935-00-660-5343

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-660-5343 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** T-shape **Overall Length:** 0.502 inches **Overall Height:** 0.502 inches **Overall Width:** 0.255 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Position Arrangement Style:** Nonstd all mating ends **Contact Removability:** Nonremovable all mating ends single contact grouping Shell Type: Solid **Connector Locking Method:** Externally threaded shell Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 all mating ends single contact grouping Thready Qty Per Inch (tpi): 32 Thread Size: 0.190 inches **Contact Material:** Copper alloy all mating ends single contact grouping **Contact Surface Treatment:** Gold all mating ends single contact grouping and silver all mating ends single contact grouping **Insert Material:** Plastic polytetrafluoroethylene all mating ends or plastic epoxy all mating ends **Shell Material:** Copper alloy **Shell Surface Treatment:**

Gold and silver

Included Contact Quantity:

1 all mating ends single contact grouping

NSN 5935-00-660-5343

Connector Adapter - Page 2 of 2



In	ıcl	111	de	d (Сი	nta	ct	Tvr	e:

Coaxial socket all mating ends single contact grouping

Precious Material And Location:

Contact and shell surfaces gold and contact and shell surfaces silver

Precious Material And Weight:

0.115 gold grains, troy and 0.115 silver grains, troy

Precious Material:

Gold and silver

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0