

View Online at <https://aerobasegroup.com/nsn/5935-00-660-5854>

**Environmental Protection:**

Vibration resistant

**Mating End Quantity:**

1

**Contact Removability:**

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:**

7.5 single mating end single contact grouping

**Polarization Method:**

Mating end

**Shell Type:**

Solid

**Terminal Location:**

Back single mating end single contact grouping

**Contact Material:**

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:**

Silver single mating end single contact grouping and rhodium single mating end single contact grouping

**Insert Material:**

Plastic single mating end

**Shell Material:**

Aluminum

**Shell Surface Treatment:**

Gold and chromate

**Shell Surface Treatment Specification:**

Qq-p-4166 cl 2 type 11 federal specification single treatment response

**Insert Material Specification:**

Mil-m-14 type mdg military specification single material response single mating end

**Included Contact Quantity:**

7 single mating end single contact grouping

**Included Contact Type:**

Round socket single mating end single contact grouping

**Precious Material And Location:**

Contact surfaces gold and contact surfaces rhodium

**Precious Material And Weight:**

0.007 gold grains, troy and 0.007 rhodium grains, troy

**Precious Material:**

Gold and rhodium

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0

**Mil-std (military Standard):**

Mil-m-14 spec.