NSN 5935-00-660-6907

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-660-6907

Body Style:
Straight shape
Overall Length:
0.859 inches
Overall Height:
2.000 inches
Overall Width:
0.750 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.687 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.469 inches
Distance From Mounting Shoulder To Front Face:
0.625 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
34 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Contact
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic melamine single mating end
Terminal Type:
Solder well single mating end single contact grouping
Insert Material Specification:
Mil-m-14, type mme military specification single material response single mating end
Included Contact Quantity:
34 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

NSN 5935-00-660-6907

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.034 gold grains, troy and 0.034 silver grains, troy
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

No

A039b0

Mil-std (military Standard):

Mil-m-14 spec.