Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-673-2838

# Thread Class:

2a

**Thread Direction:** 

Right-hand

### Body Style:

Straight shape, external coupling

### **Overall Length:**

1.625 inches

#### **Overall Height:**

1.500 inches

#### **Overall Width:**

1.500 inches

#### **Environmental Protection:**

Moisture resistant

#### **Unthreaded Mounting Hole Diameter:**

#### 0.120 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

1.156 inches

### Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.156 inches

### Distance From Mounting Shoulder To Front Face:

0.750 inches

#### Threaded Device Type:

Coupling facility

#### Mating End Quantity:

1

### **Contact Position Arrangement Style:**

28-2009-16 single mating end

#### **Contact Removability:**

Removable single mating end all contact groupings

#### **Contact Maximum Current Rating In Amps:**

22.0 single mating end 1st contact grouping

#### Contact Maximum Ac Voltage Rating In Volts:

200.0 single mating end all contact groupings

#### Contact Maximum Dc Voltage Rating In Volts:

250.0 single mating end all contact groupings

### **Polarization Method:**

Keyway or multiple keyway

# **Insert Position In Deg:**

0.0

#### Shell Type:

Solid



#### **Connector Locking Method:**

Externally threaded shell

Thread Length:

0.625 inches

Thready Qty Per Inch (tpi):

8

# Thread Size:

1.750 inches

#### **Terminal Location:**

Back single mating end all contact groupings

**Insert Material:** 

Plastic single mating end

### **Terminal Type:**

Solder well single mating end all contact groupings

#### Shell Material:

Aluminum alloy

#### **Included Contact Quantity:**

9 single mating end all contact groupings

### Included Contact Type:

Round pin single mating end all contact groupings

# **Thread Series Designator:**

Uns

#### Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A039b0