NSN 5935-00-681-5687

Tip Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-681-5687 **Thread Class:** 2a **Thread Direction:** Right-hand **Electrical Insulation Feature:** Insulated from panel **Identification Code Color:** White **Body Style:** Threaded bushing mounted **Overall Length:** Between 0.900 inches and 0.970 inches **Mounting Bushing Length:** Between 0.150 inches and 0.190 inches **Body Length:** 0.380 inches **Overall Diameter:** 0.370 inches **Bushing Accommodation Hole Shape:** Round **Maximum Voltage Rating In Volts:** 5000.0 ac **Accommodated Finger Type:** Test prod single finger **Finger Accommodation Diameter:** 0.077 inches and 0.080 inches single finger **Finger Accommodation Length:** 0.500 inches single finger **Bushing Thru-hole Accommodation Diameter:** 0.250 inches **Current Rating In Amps: Mounting Facility Type And Quantity:** 1 bushing Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.250 inches **Terminal Type:** Turret

Material:Phosphor bronze spring

NSN 5935-00-681-5687

Tip Jack - Page 2 of 2



Material:
Copper alloy bushing
Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Surface Treatment:
Nickel bushing
Surface Treatment:
Nickel bushing
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A03400